Elements
LAMINATE

Solomons
Flooring

DR1227 - Tarkine

DR1214 - Creamed Birch

DR1210 - Almond Breeze

DR1261 - Riverina Spotted Gum

Specifications

Plank Length	1215mm
Plank Width	197mm
Plank Thickness	8.3mm
Wear Layer	0.15mm
Sqm/Carton	2.393sqm
KG/Carton	15.89kg
Carton/Pallet	60 Cartons
KG/Pallet	953.59kg
Finish	Intricately Detailed Imagery Strong Anti-Scratch
Construction	High Density Core
Installation Type	Floating Floor
Warranty	25 Year Residential Warranty 5 Year Commercial Warranty
Certification	FloorScore® Certified GreenGuard® Gold Certified
Stability	Stable for Lifetime
Click System	Angle to Angle Easy Click

- Superior Anti-Scratch
- Heavy duty wear resistance
- Stain resistance
- Easy to maintain
- Extra Durability

- Variations on Colors Available
- Anti-ultraviolet

- High Density Core
- Super Stability for Lifetime

- Moisture Resistance
- Mold & Mildew Resistance





8 pcs/Carton
2.39355sqm/Carton
15.89kg/Carton

Colours



DR1210 - Almond Breeze



DR1214 - Creamed Birch



DR1242 - Driftwood



DR1248 - Espresso Oak

DR1244 - Frosted Birch



DR1253 - Highland Oak



DR1261 - Riverina Spotted Gum

DR1218 - Sand Oak



DR1204 - Storm Cloud

DR1227 - Tarkine

DR1245 - Wheatfield Oak

Elements LAMINATE

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818
GOLD

CE

Deutsches Institut fur Bautechnik
DIBt

ISO 14001

ISO 9001

ÉMISSIONS DANS L'AIR INTÉRI
A+
A+ A B C

atfa | Australasian Timber Flooring Association

floor score

25 YEAR RESIDENTIAL WARRANTY

5 YEAR COMMERCIAL WARRANTY

DR1204- Storm Cloud

Solomons Flooring

solomons.com.au