Elements
HYBRID XL

Solomons Flooring

DR8403 - Natural Oak

DR8412 - Native Blackbutt

DR8404 - Honey Oak

DR8444- Earthly Rock

Specifications

Plank Length	1824mm
Plank Width	230mm
Plank Thickness	6.5mm
Wear Layer	0.5mm
M2/Carton	2.1m2
KG/Carton	22.58kg
Carton/Pallet	60 Cartons
KG/Pallet	1354.70kg
Finish	EIR Intrictately Detailed Imagery Strong Anti Scratch
Construction	High Density Core
Installation Type	Floating Floor
Warranty	25 Year Residential 5 Year Commercial
Certification	FloorScore® Certified GreenGuard® Gold
Stability	Certified Stable for Lifetime
Click System	Uniclic
Slip Rating	P4
ACCC Rating	6 Star Acoustic







5pcs/Carton
2.1sqm/Carton
22.58kg/Carton

UNICLIC®
PATENTED TECHNOLOGY

Colours

DR8401- Antique

DR8403 - Natural Oak

DR8404 - Honey Oak

DR8406 - Light Silvered

DR8412 - Native Blackbutt

DR8413 - Soft Country Oak

DR8433 - Spotted Gum

DR8441 - American Oak

DR8444 - Earthly Rock

Elements
HYBRID XL

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818
GOLD

CE

Deutsches Institut fur Bautechnik
DIBt

ISO 14001

ISO 9001

ÉMISSIONS DANS L'AIR INTÉRI
A+
A+ A B C

atfa | Australasian Timber Flooring Association

floor score

25 YEAR RESIDENTIAL WARRANTY

5 YEAR COMMERCIAL WARRANTY

DR8406- Light Silvered

Solomons Flooring

solomons.com.au