Elements
LAMINATE
72 HR WATER
PROTECTION
Solomons
Flooring
UNICLIC®
PATENTED TECHNOLOGY
P3
Slip Rating
atfa
Australasian
Timber Flooring
Association
IRONBARK DRIFT

Elements LAMINATE

72 HR WATER PROTECTION

DR6601-BLACKBUTT

DR6602-AUTUMN BIRCH

DR6603-IRONBARK DRIFT

DR6610-SANDSTONE BEIGE

DR6614-SILKY OAK

DR6616-CEDAR MIST

DR6620-COASTAL BANKSIA

DR6652-EUCALYPTUS SMOKE

Solomons Flooring

UNICLIC® PATENTED TECHNOLOGY

P3 Slip Rating

atfa Australasian Timber Flooring Association

Solomons
Flooring

BLACKBUTT

AUTUMN BIRCH

EUCALYPTUS SMOKE

COASTAL BANKSIA

Elements LAMINATE

72 HR WATER PROTECTION

SPECIFICATIONS

Plank Length	1515mm
Plank Width	237mm
Plank Thickness	10.3mm
Wear Layer	AC4 - Extra Heavy Duty
Sqm/Carton	2.154sqm
Finish	EIR
	Intricately Detailed Imagery
	Strong Anti-Scratch
Construction	High Density Core
Installation Type	Floating
Warranty	25 Year Residential Warranty
	5 Year Commercial Warranty
Certification	FloorScore Certified
	Green Guard Gold Certified
Accessories	Yes
Click Systems	Uniclic
Slip Rating	P3 / R10
Water Resistance	72 Hours





6 pcs / Carton
2.154 sqm / Carton
19.39 kg / Carton

GREENGUARD GOLD

CE

Deutsches Institut fur Bautechnik DIBt

CERTIFIED ISO14001 QUALITY SYSTEM

CERTIFIED ISO9001 QUALITY SYSTEM

atfa Australasian Timber Flooring Association

floor score

25 YEAR RESIDENTIAL WARRANTY

5 YEAR COMMERCIAL WARRANTY

ÉMISSIONS DANS L'AIR INTÉRI A+ A+ A B C

Solomons Flooring

72 HR WATER PROTECTION

Elements Laminate Embrace Nature. Defend Against Life.

This flooring, designed for contemporary homes, seamlessly blends the beauty of natural elements with advanced hydro protection. Its innovative water-resistant technology shields against spills and moisture, ensuring lasting elegance in even the busiest spaces.

Featuring a selection of refined finishes and a robust, scratch resistant surface, Elements Laminate Hydro, delivers effortless maintenance and enduring style. Live confidently, knowing your floor can handle life's moments, big and small.



SPECIFICATIONS

- Board Size 1515 x 237 x 10.3mm
- Uniclic System
- 25 Year Limited Residential Warranty
- 5 Year Commercial Warranty
- Lifetime Structural Warranty
- Low VOC Emissions
- Highly Water Resistant Surface & Core
- No PVC
- High Performance Anti-Scratch & Slip Resistance
- Embossed Wood Grain Surface
- Compatible with Underfloor Heating
- Moisture Protected Micro Bevel Edge
- Australian Slip and Fire Tested Certified
- Pet Friendly

Solomons Flooring

Elements LAMINATE

72 HR WATER PROTECTION

CARE & MAINTENANCE GUIDE

GENERAL CARE

- Sweep floor regularly with a soft bristled broom or wood floor mop
- Dust and/or clean with a soft bristled vacuum head. Ensure vacuum head is non-abrasive with no metal contact points.
- Remove spills promptly with an absorbent cloth or similar
- Place mats at exterior and interior doors to trap sand and grit from incoming traffic
- Use a rug or mat in high traffic areas to reduce wear and scuffing. Where possible, periodically relocate rugs or large items to allow natural ageing of the floor surface area
- Place felt protectors on the legs of furniture to avoid scratches
- Keep pets' claws properly trimmed to avoid excess scratches and gouges
- Flooring should be always protected from direct sunlight. (Use of curtains, blinds or UV resistant film on windows)

REGULAR CARE

- Do not steam mop or over wet floor surface area after installation
- Use approved floor cleaners only. Waxes should not be used
- Chairs with roller wheels (castors) must be placed on protective mats to protect the surface coating
- Do not let sand, dirt or grit build up on the floor surface
- Do not roll or slide heavy furniture or appliances across flooring without surface protection or lift trolley
- Place drip pans or protective matting under pot plants and animal feeding or bedding areas

Solomons Flooring

Elements
LAMINATE

CEDAR MIST

SILKY OAK

Elements
LAMINATE
72 HR WATER
PROTECTION
Solomons
Flooring
UNICLIC
PATENTED TECHNOLOGY
P3
Slip Rating
atfa
Australasian
Timber Flooring
Association
AUTUMN BIRCH